INDEX TO VOLUME 4

AOKI, K. The Kaersutites and Oxykaersutites from Alkalic Rocks of Japan and surrounding Areas 198

APPLEMAN, D. E., *see* WONES, D. R.

BEST, M. G. Petrology of the Guadalupe Igneous Complex, South-Western Sierra Nevada Foothills, California 223

BROWN, G. M., and VINCENT, E. A. Pyroxenes from the late stages of Fractionation of the Skaergaard Intrusion, East Greenland 175

BUDDINGTON, A. F., FAHEY, J., and VLISIDIS, A. Degree of Oxidation of Adirondack Iron Oxide and Iron-Titanium Oxide Minerals in Relation to Petrogeny 138

BUTLER, J. R., *see* SKIBA, W.

CHAYES, F., and SUZUKI, Y. Geological Contours and Trend Surfaces (A Discussion) 307

COLEMAN, R. G., *see* LEE, D. E.

COLEMAN, R. G., and LEE, D. E. Glaucophane-bearing Metamorphic Rock Types of the Cazadero Area, California 260

ERD, R. C., *see* LEE, D. E.

EPSTEIN, S., *see* TAYLOR, H. P., JR.

ERNST, W. G. Petrogenesis of Glaucophane Schists 1

EUGSTER, H. P., *see* FOSTER, M. D.

EWART, A. Petrology and Petrogenesis of the Quaternary Pumice Ash in the Taupo Area, New Zealand 392

FAHEY, J., *see* BUDDINGTON, A. F.

FAURE, G., and HURLEY, P. M. The Isotopic Composition of Strontium in Oceanic and Continental Basalts: Application to the Origin of Igneous Rocks 31

FOSTER, M. D., WONES, D. R., and EUGSTER, H. P. The Atomic Ratios of Natural Ferruginous Biotites, with Reference to 'The Stability Relation of the Ferruginous Biotite Annite' (A Discussion) 302

GREENWOOD, H. J. The Synthesis and Stability of Anthophyllite 317

HAMILTON, E. I. The Isotopic Composition of Strontium in the Skaergaard Intrusion, East Greenland 383

HURLEY, P. M., *see* FAURE, G.

KUNO, H., *see* KUSHIRO, I.

KUSHIRO, I., and KUNO, H. Origin of Primary Basalt Magmas and Classification of Basaltic Rocks 75

LEE, D. E., *see* COLEMAN, R. G.

LEE, D. E., COLEMAN, R. G., and ERD, R. C. Garnet Types from the Cazadero Area, California 460

MIYASHIRO, A. A reply to Naha's article 173

NAHA, K. Evolution of Metamorphic Belts (A Discussion) 170

PEIKERT, E. W. Biotite Variation as a Guide to Petrogenesis of Granitic Rocks in the Pre-Cambrian of Northeastern Alberta 432

PHINNEY, W. C. Phase Equilibria in the Metamorphic Rocks of St. Paul Island and Cape North, Nova Scotia 90

SKIBA, W., and BUTLER, J. R. The Use of Sr–An Relationships in Plagioclases to Distinguish between Somalian Metagabbros and Country-rock Amphibolites 352

SOLOMON, M. Counting and Sampling Errors in Modal Analysis by Point Counter 367

SPRY, A. The Origin and Significance of Snowball Structure in Garnet 211

SUZUKI, Y., *see* CHAYES, F.

TAYLOR, H. P., JR., and EPSTEIN, S. O^{18}/O^{16} Ratios in Rocks and Coexisting Minerals of the Skaergaard Intrusion, East Greenland 51

VINCENT, E. A., *see* BROWN, G. M.

VLISIDIS, A., *see* BUDDINGTON, A. F.

WHITTEN, E. H. T. A Reply to Chayes and Suzuki's article 313

WONES, D. R., *see* FOSTER, M. D.

WONES, D. R., and APPLEMAN, D. E. Properties of Synthetic Triclinic $KFeSi_3O_8$, Iron-microcline, with some Observations on the Iron-microcline $\rightleftharpoons$ Iron-sanidine Transition 131